

10038029 1044202




FIG. 1

332 :  
REMOTE  
CONTROLLER




FIG. 2




FIG. 3




FIG.4




FIG. 5




FIG. 6

100 : AUDIO APPARATUS




FIG. 7






FIG. 8







CONTROL COMMAND	FUNCTION
COMMAND A	FM/AM SWITCHING PROCESS
COMMAND B	.....
.	.
.	.
.	.

FIG. 10A

FIXED ALLOCATION INFORMATION TABLE

CONTROL COMMAND	OPERATION FLAG	FUNCTION 1		FUNCTION 2		FUNCTION 3		...	FUNCTION N	
		FLAG	SET VALUE	FLAG	SET VALUE	FLAG	SET VALUE		FLAG	SET VALUE
COMMAND C1	0	0	3	0	4	0	5	...	1	0
COMMAND C2	1	1	0	1	0	1	0	...	1	0
COMMAND C3	2	1	0	1	0	1	0	...	1	0

FIG. 10B

CUSTOMIZED ALLOCATION INFORMATION TABLE

10038029, 01-1-2002





FIG. 11

200 : PC





FIG. 12





DETAILED SETTING
✕

SELECTOR  
NAME EDITING

LEVEL  
SETTING

DETAILED  
USB SETTING

SKIN  
SELECTION

CUSTOM REMOTE  
CONTROL SETTING

**CUSTOM REMOTE CONTROL SETTING**

Functions "Custom Keys (A, B, C)" of the attached remote controller can be set from this application.

"Custom Keys" are for registering plural states of the amplifier unit including frequently used states (e.g., DSP Sound Field Program and Equalizer) and calling them by operation of the key only.


Clicking of "Setting Wizard" enters the function register picture.

SETTING WIZARD

OK

CANCEL

FIG. 14



SELECTION OF REMOTE CONTROL KEY

SELECTION OF REMOTE CONTROL KEY

☒ A

☐ B

☐ C

USE/NOT USE/TRANSMIT TO PC

☐ USE

☒ NOT USE

☐ TRANSMIT TO PC

SETTING REFERENCE VALUE

☐ CURRENT STATE

☒ REMOTE CONTROL SETTING

< BACK (B)

COMPLETE

CANCEL

FIG. 15 95

**Tel.: (213) 488-7100    Docket No.: 51270-277020**  
**Sheet 16 of 27**

FIG. 16




## NOTE CONTROL MET

**Attorney Name:** Roger R. Wise

Sheet 17 of 27

FIG. 17 97

10/11/2009 10:04:52



DSP SETTING

X

DSP MODE SETTING

☒ HALL

☐ JAZZ

☐ CHURCH

☐ GAME

☐ MOVE

☐ LIVE

☐ VDD

☐ THROUGH

☐

NOT CHANGE

< BACK (B)

FORWARD (N) >

CANCEL

FIG. 18 97

1. The first step is to identify the problem or goal. This involves understanding the current situation, identifying the problem, and setting a clear goal.



DSP PARAMETER SETTING

☐ NOT CHANGE


Effect Level ☐ - ☒ 0 ☐ +

Room Size ☐ - ☒ 0 ☐ +

Seat Position ☐ - ☒ 0 ☐ +

< BACK (B) FORWARD (N) > CANCEL

FIG. 19 98



GRAPHIC EQUALIZER/SOUND VOLUME SETTING
✕

GRAPHIC EQUALIZER  
SETTING

☒ ROCK

☐ POPS

☐ VOCAL

☐ FUSION

☐ CLASSIC

☐ USER1

☐ USER2

☒ NOT CHANGE

GRAPHIC EQUALIZER  
SETTING

☒ NOT CHANGE

< BACK (B)

COMPLETE

CANCEL

FIG. 20 99



CONTROL COMMAND	FUNCTION
CONTROL COMMAND C1	MAXIMIZE SIZE OF DETAILED SETTING SCREEN
.	.
.	.
.	.

### ALLOCATION INFORMATION TABLE OF PC

FIG. 21




FIG. 22

10034029 0341202






FIG. 23



CONTROL COMMAND	OPERATING TIME/DATE CONDITION	OPERATION FLAG	FUNCTION 1		FUNCTION 2		...	FUNCTION N	
			FLAG	SET VALUE	FLAG	SET VALUE		FLAG	SET VALUE
COMMAND C1	WEEKDAY 9:00~20:00								
	OTHERS								
COMMAND C2	WEEKDAY 9:00~20:00								
	OTHERS								
COMMAND C3	WEEKDAY 9:00~20:00								
	OTHERS								

CUSTOMIZED ALLOCATION INFORMATION TABLE

FIG. 24








FIG. 26





FIG. 27

PILLSBURY WINTHROP LLP, LOS ANGELES

Serial No.: 10/038,029

Group Art Unit: 3736

Title: REMOTE CONTROL METHOD .....

Attorney Name: Roger R. Wise

Tel.: (213) 488-7100 Docket No.: 51270-277020

Sheet 27 of 27



DOWNLOAD OF RECOMMENDED SETTING  
INFORMATION HAS BEEN COMPLETED

DO YOU WANT TO PERFORM CUSTOMIZED  
FUNCTION SETTING FOR AUDIO APPARATUS  
USING DOWNLOADED RECOMMENDED  
SETTING INFORMATION

EXECUTE  
SETTING

515

FIG. 28